

The Best Berry Plants Since 1932













What are your production goals?

- Wholesale?
- Retail?
- Pick Your Own?



Develop a Harvest Strategy

- Summer Harvest
- Fall Harvest
- Summer and Fall Harvest



Other Considerations

- Will you use trellis?
- Will they be planted in protected structures?



Where Are You Planting?

- Cold of Zone 4
- Heat of zone 7
- Heavy or Light Soil
- Irrigation Available?



Prescribing the Perfect Variety

- There is no one perfect Variety!
- Choose 2-3 to split your risk.



New Premise

- Pruning is an investment
- Primocanes and Floricanes should be trellised.



New Premise Choose a 'Commercial Everbearer'

- Better return per acre.
- Increased Efficiencies.
 Use less land to produce more.



Terminology

Primocane Fruiting –

- A perennial raspberry that bears fruit on first year canes (primocanes).
- Also known as everbearing Produce berries on canes that survive the winter.



Terminology

Primocane Fruiting –

* Not all primocane/everbearing varieties yield fresh market quality in both summer and fall!



Terminology

Floricane Fruiting –
A perennial raspberry that bears fruit on the 2nd year canes that survive the winter.



Terminology

Commercial Everbearer –
Primocane Variety that Produces Two
Marketable Crops per Year.



New Premise

- Permanent Trellis
- Thin Primocanes
- Attach Primocanes to Trellis with Clips
- Top Primocanes in November



New Premise

Permanent trellis





New Premise

Thin Primocanes











New Premise

 Attach Primocanes to Trellis with Clips





New Premise

 Top Primocanes in November Reduce Incidence of Winter Injury!
 We cut all Brambles back by December.











Raspberry Training & Pruning







Commercial Everbearing Variety

Prelude

- Earliest
- Late Fall Harvest
- Can be soft when hot temperatures.





Commercial Everbearing Variety

Anne – Golden Raspberry

- Very Large Conic Fruit
- Very Sweet Flavor
- Susceptible to Botrytis Mold
- Harvest Early in the Day








Commercial Everbearing Variety

Autumn Britten

- 1-2 weeks after Polana, Mid August
- Most Disease Resistant Primocane
- Large with Good Flavor
- Easy to Grow





Caroline

- 1-2 weeks Before Heritage
- Late Rust Susceptible
- Large with Great Flavor
- Trellis Recommended







Himbo Top

- Very Productive 'Commercial Everbearer'
- Winter Hardy and Root Rot Resistant
- Large with Good Flavor
- Must be Trellised and Thinned
 4-6 Canes per Foot







Jaclyn

- 1-2 weeks after Polana, Mid August
- Late Rust Susceptible
- Large with Great Flavor
- Hard to Pick, Must be Ripe
- Light Duty Trellis











Joan J

- 1-2 weeks after Polana, Mid August
- Very Productive Primocane
- Large with Good Flavor
- Must be Trellised and Thinned
 4-8 Canes Per Foot





FARMS INC.

Polka

- 1-2 weeks after Polana, Mid August
- The "New Autumn Britten"
- Large with Good Flavor
- Easy to Grow
- Prune and thin for largest berries.





Thank you!







MORE INFORMATION

www.NourseFarms.com

41 River Road

South Deerfield, MA 01373

Booth # 243